# **Aluminium Door Relief Grille Technical Data**



#### General

Ventilator Type	Passive Grille
ventuator Type	1 dostive drine

### Material

Component	Material
Vent	Anodised Aluminium
Spring Clip	Steel

### **Applicable Product Codes**

Size	Product Code	Description
300x150mm	DRG3015	300x150mm Door Grille
600x150mm	DRG6015	600x150mm Door Grille
600x200mm	DRG6020	600x200mm Door Grille
600x300mm	DRG6030	600x300mm Door Grille
600x450mm	DRG6045	600x450mm Door Grille



### **Dimensions**

Product Code	Face Size	Weight	Total Depth (Packed)
DRG3015	335x185mm	390g	39mm
DRG6015	635x185mm	1005g	39mm
DRG6020	635x235mm	1025g	39mm
DRG6030	635x335mm	1065g	39mm
DRG6045	635x485mm	2250g	39mm


### **Cut out size**


The size of the cut-out recommended is the size of the neck diameter (as per above table). Do not make the hole more than 5mm in diameter greater than the neck diameter. Tighter fit prevents rattling.

### **Door Thickness**

Grilles fit doors from 30mm to 50mm in thickness.








	144.7 144	
	)))))))	
-4	20 1925	
	184	
_		

SIZE	HOLE SPACING	BLADES
150	19	7
200	19	9
300	20.4	14
450	20	22



# **Aluminium Door Relief Grille Technical Data**



### Conditions of Storage, Maintenance and Use

Keep stored in a dry area.

Do not attempt repair or maintenance without contacting Partner Pacific

### **Limitations of Use**

Do not use for exhausting hazardous or explosive materials

### Warranty

This product has a 5-year manufacturer's replacement warranty against manufacturing faults and defects.