

# Duct Reducer Adapters Technical Data

## General

|                 |                      |
|-----------------|----------------------|
| Ventilator Type | Duct Reducer Adapter |
|-----------------|----------------------|

## Composition


| Material             | Percentage of Total Product |
|----------------------|-----------------------------|
| Galvanized Z80 Steel | 100%                        |

## Applicable Product Codes

| Product Code | Description                 |
|--------------|-----------------------------|
| DR100125     | 125mm to 100mm Duct Reducer |
| DR100150     | 150mm to 100mm Duct Reducer |
| DR150200     | 200mm to 150mm Duct Reducer |
| DR200250     | 250mm to 200mm Duct Reducer |



## Dimensions



| NO | Code     | Size                  | $\phi_1$ | $\phi_2$ | Remark |
|----|----------|-----------------------|----------|----------|--------|
| 1  | DR100125 | $\phi 125 \times 100$ | 123.5    | 98.5     |        |
| 2  | DR100150 | $\phi 150 \times 100$ | 148.5    | 98.5     |        |
| 3  | DR150200 | $\phi 200 \times 150$ | 198.5    | 148.5    |        |
| 4  | DR200250 | $\phi 250 \times 200$ | 248.5    | 198.5    |        |
|    |          |                       |          |          |        |

This duct reducing adaptor allows for connection of two different sizes of flexible or semi-rigid ducting, using clamps or duct tape to connect the parts together. These duct reducers are designed with ridges for easy and effective connection of ducting. Compatible with flexible foil or semi-rigid ducting.

Compliant with AS1530.3:1999 and AS4254.

### **Conditions of Storage, Maintenance and Use**

Keep stored in a dry and cool area. Do not attempt repair or maintenance without contacting Partner Pacific.

### **Limitations of Use**

Do not use for exhausting hazardous or explosive materials